

APPENDIX B

Roadside Inventories

**APPENDIX B
US 97/MURPHY RD: BROOKSWOOD - PARRELL _ DESIGN ACCEPTANCE PACKAGE (DAP)**

**OREGON DEPARTMENT OF TRANSPORTATION
ROADSIDE INVENTORY**

Section: EA: Date:

Hwy: County: Project Manager:

Functional Class: Hwy Numbers: State Fed MP to MP

A. ROADWAY

1) Last Major Construction (Year & Type of Work)

2) Roadway Widths (Attach Typical Section)

MP	to MP	Exist Paving Width	Proposed Width
140.44	140.94	62'	79'

3) Recommended Standard Widths

ODOT ODOT 3-R

AASHTO

4) Existing Foreslope:

Future Foreslope:

B. DESIGN CONSIDERATIONS

1) Traffic Volumes (Attach Traffic Data Summary)

	Year	ADT	DHV	% Trucks
Current	2009	23,380		9.9
Projected	2030	31,450		9.9

2) Posted Speed:	Advisory	<input type="text" value="45"/>	Legal	<input type="text" value="45"/>
Design Speed:	Existing	<input type="text" value="55"/>	Proposed	<input type="text" value="55"/>
Running Speed:			85% Per	

3) Level Of Service

Year	DHV	LOS

4) Access Control

MP	to MP	Existing	Proposed

Notes:

US 97/MURPHY RD: BROOKSWOOD - PARRELL _ DESIGN ACCEPTANCE PACKAGE (DAP)

ODOT ROADSIDE INVENTORY

Section:	US 97										
----------	-------	--	--	--	--	--	--	--	--	--	--

F. SIGNS NOTES: #1 H=Hinge; B=Breakaway; O=Other (Identify) #4 Material: Wood, Metal, etc.
 #2 Direction = Read Towards N, E, S, W #5 Condition: New, Good, Fair, Poor
 #3 Color = Letters/Background #6 Photo Taken? No, Yes, (number)

Location MP or Sta.	Distance (nearest post) off Fog Line		Post		Sign (Width x Height)				Legend			Action Needed to Meet Standards	Recommended Action	Final Action
	Lt.	Rt.	Size Inches	Type #1 H, B, O	Dir #2	Size Ft.	Color #3 L/B	Matl #4	Message & Letter Size	#5	#6			
140.43		54	4 x 6	B (Wood)	S	2.5 x 1.5	Black/White	Metal	South- 15 inch	Good	Dec 21, US 97 #002			
					S	2.5 x 2.5	Black/White	Metal	97- Shield	Good				
140.43	54		4 x 4	B (Metal)	N	10 x 4	White/Green	Metal	Badger Rd.- 12 inch, NEXT RIGHT- 10 inch	Good	Dec 21, US 97 #049			
140.470	53		6 x 6	B (Metal)	N	17.5 x 11	White/Green	Metal	NORTH/ WEST- 12 inch, 97/ 20, Mt Bachelor, Redmond- 13 inch	Good	Dec 21, US 97 #048			
140.480		54	5.5 x 8	B (Metal)	S	14 x 13	White/Blue	Metal	LEFT SECOND SIGNAL- 10 inch, USE Bus 97, GAS/ FOOD, 11 inch	Good	Dec 21, US 97 #004			
140.520	51		15" (dia.)	O (Metal)	N	5.5 x 1.5	White/Green	Metal	PINEBROOK BLVD - 8 inch	Good	Dec 21, US 97 #046			
140.520		0	4 x 6	B (Wood)	S	3 x 3	White/Black	Metal	Left Turn Prohibition	Good	Dec 21, US 97 #042			
140.520		43	16" (dia.)	O (Metal)	W	5.33x 1.25	White/Green	Metal	BEND PKWY, 8 inch	Good	Dec 21, US 97 #006			

US 97/MURPHY RD: BROOKSWOOD - PARRELL _ DESIGN ACCEPTANCE PACKAGE (DAP)

ODOT ROADSIDE INVENTORY

Section:	US 97
----------	-------

F. SIGNS NOTES: #1 H=Hinge; B=Breakaway; O=Other (Identify) #4 Material: Wood, Metal, etc.
 #2 Direction = Read Towards N, E, S, W #5 Condition: New, Good, Fair, Poor
 #3 Color = Letters/Background #6 Photo Taken? No, Yes, (number)

Location MP or Sta.	Distance (nearest post) off Fog Line		Post		Sign (Width x Height)				Legend			Action Needed to Meet Standards	Recom- mended Action	Final Action
	Lt.	Rt.	Size Inches	Type #1 H, B, O	Dir #2	Size Ft.	Color #3 L/B	Matl #4	Message & Letter Size	#5	#6			
140.530		0	4 x 6	B (Wood)	N	3 x 3	White/ Black	Metal	Left Turn Prohibition	Good				
140.540	65		17" (dia.)	O (Metal)	E	6 x 1.25	White/ Green	Metal	BEND PKWY- 8 inch	Good	Dec 21, US 97 #043			
140.540		44	16" (dia.)	O (Metal)	S	5.5 x 1.5	White/ Green	Metal	PINEBROOK BLVD- 8 inch	Good	Dec 21, US 97 #006			
140.570		55	6 x 6	B (Metal)	S	11 x 11	White/ Green	Metal	BUSINESS- 12 inch , 97, Third St.- 13 inch, NEXT LEFT, 10 inch	Good	Dec 21, US 97 #008			
140.590		59	3 x 3	B (Metal)	S	4 x 5	Black/ White	Wood	SPEED- 12 inch, 45- 32 inch	Good	Dec 21, US 97 #010			
140.630		48	3.5 x 5.5	B (Wood)	S	2.5 x 1.5	Black/ White	Metal	South- 15 inch	Good	Dec 21, US 97 #012			
					S	2.5 x 2.5	Black/ White	Metal	97- Shield	Good				
140.660		52	8 x 8	B (Metal)	S	12 x 11	White/ Blue	Metal	NEXT LEFT, CAMPING, LODGING, 10 inch	Good	Dec 21, US 97 #014			

US 97/MURPHY RD: BROOKSWOOD - PARRELL _ DESIGN ACCEPTANCE PACKAGE (DAP)

ODOT ROADSIDE INVENTORY

Section:	US 97										
----------	-------	--	--	--	--	--	--	--	--	--	--

F. SIGNS NOTES: #1 H=Hinge; B=Breakaway; O=Other (Identify) #4 Material: Wood, Metal, etc.
 #2 Direction = Read Towards N, E, S, W #5 Condition: New, Good, Fair, Poor
 #3 Color = Letters/Background #6 Photo Taken? No, Yes, (number)

Location MP or Sta.	Distance (nearest post) off Fog Line		Post		Sign (Width x Height)				Legend			Action Needed to Meet Standards	Recommended Action	Final Action
	Lt.	Rt.	Size Inches	Type #1 H, B, O	Dir #2	Size Ft.	Color #3 L/B	Matl #4	Message & Letter Size	#5	#6			
140.690	47		5 x 5	B (Metal)	N	10 x 5	White/Green	Metal	Pinebrook Blvd. - 11 inch, NEXT RIGHT- 8 inch	Good	Dec 21, US 97 #040			
140.750		60	8 x 8	B (Metal)	S	14 x 10	White/Green	Metal	BUSINESS, 97, Third St., 13.5 inch	Good	Dec 21, US 97 #016			
140.760	45		4 x 6	B (Wood)	N	2.5 x 1.5	Black/White	Wood	NORTH- 15 inch	Good	Dec 21, US 97 #039			
					N	2.5 x 2.5	Black/White	Wood	97- Shield	Good				
140.770		51	5.5 x 7	B (Wood)	S	5.5 x 3	Black/White	Wood	Directional Arrows	Good	Dec 21, US 97 #018			
140.850	48		3 x 3	B (Wood)	N	4 x 5	Black/White	Wood	SPEED- 10 inch, 45-30 inch	Good	Dec 21, US 97 #032			
140.850	280		4 x 6	B (Wood)	S	3 x 3	Black/Yellow	Wood	Yellow Signal Sign	Good	Dec 22, 2010 #037			
140.860		51	2.5 x 2.5	B (Metal)	S	4 x 4	Black/Yellow	Metal	Arrows Around Median	Good	Dec 21, US 97 #020			
140.860	230		4 x 4	B (Metal)	S	8 x 4.5	White/Green	Metal	< Klamath Falls, Redmond , 8 inch	Good	Dec 22, 2010 #040			
140.880	190		4 x 4	O (Wood)	S	3 x 3	Black/White	Metal	Directional Arrows	Good	Dec 22, 2010 #046			

US 97/MURPHY RD: BROOKSWOOD - PARRELL _ DESIGN ACCEPTANCE PACKAGE (DAP)

ODOT ROADSIDE INVENTORY

Section:	US 97
----------	-------

F. SIGNS NOTES: #1 H=Hinge; B=Breakaway; O=Other (Identify) #4 Material: Wood, Metal, etc.
 #2 Direction = Read Towards N, E, S, W #5 Condition: New, Good, Fair, Poor
 #3 Color = Letters/Background #6 Photo Taken? No, Yes, (number)

Location MP or Sta.	Distance (nearest post) off Fog Line		Post		Sign (Width x Height)				Legend			Action Needed to Meet Standards	Recom- mended Action	Final Action
	Lt.	Rt.	Size Inches	Type #1 H, B, O	Dir #2	Size Ft.	Color #3 L/B	Matl #4	Message & Letter Size	#5	#6			
140.890	275		6 x 6	B (Wood)	N	4 x 4	Black, Yellow	Metal	Arrows (Merging From The Left)	Good	Dec 22, 2010 #051			
					S	4 x 4	White/ Red	Metal	DO NOT ENTER	Good	Dec 22, 2010 #034			
140.890	55		15" (dia.)	O (Metal)	N		White/ Green	Metal	THIRD ST	Good	Dec 21, US 97 #032 and			
					N	2.5 x 3	Black/ White	Metal	Directional Arrow	Good				
140.890	219		6 x 6	B (Wood)	N	4 x 4	Black, Yellow	Metal	Arrows (Merging From The Right)	Good	Dec 22, 2010 #048			
140.900		44	5 x 5	B (Metal)	W		White/ Green	Metal	< Klamath Falls, Redmond >	Good	Dec 21, US 97 #024			
						2.5 x 1.5	Black/ White	Metal	North- 15 inch	Good				
						2.5 x 2.5	Black/ White	Metal	97- Shield	Good				
						2.5 x 1.5	Black/ White	Metal	Arrow	Good				
						2.5 x 1.5	Black/ White	Metal	South- 15 inch	Good				

US 97/MURPHY RD: BROOKSWOOD - PARRELL _ DESIGN ACCEPTANCE PACKAGE (DAP)

ODOT ROADSIDE INVENTORY

Section:	US 97										
----------	-------	--	--	--	--	--	--	--	--	--	--

F. SIGNS NOTES: #1 H=Hinge; B=Breakaway; O=Other (Identify) #4 Material: Wood, Metal, etc.
 #2 Direction = Read Towards N, E, S, W #5 Condition: New, Good, Fair, Poor
 #3 Color = Letters/Background #6 Photo Taken? No, Yes, (number)

Location MP or Sta.	Distance (nearest post) off Fog Line		Post		Sign (Width x Height)				Legend			Action Needed to Meet Standards	Recommended Action	Final Action
	Lt.	Rt.	Size Inches	Type #1 H, B, O	Dir #2	Size Ft.	Color #3 L/B	Matl #4	Message & Letter Size	#5	#6			
						2.5 x 2.5	Black/White	Metal	97- Shield	Good				
						2.5 x 1.5	Black/White	Metal	Arrow	Good				
140.900		46	13" (dia.)	O (Metal)	W	5 x 1.25	White/Green	Metal	BEND PKWY, 8 inch	Good	Dec 21, US 97 #026			
						2.5 x 3	Black/White	Metal	Directional Arrows	Good	Dec 21, US 97 #038			
						2.5 x 3	Black/White	Metal	Directional Arrow, ONLY - 5 inch	Good				
140.900		44	15" (dia.)	O (Metal)	S		White/Green	Metal	THIRD ST- 8 inch	Good	Dec 21, US 97 #028 and			
140.920	194		4 x 6	B (Wood)	S	4 x 2.5	White/Red	Metal	WRONG WAY- 8 inch	Good	Jan 04 2011, #014			
140.940		0	2 x 2	O (Metal)	S	3 x 4	Black/White	Metal	Arrow Right Around Median	Good	Dec 21, US 97 #028			
140.960	47		3.5 x 3.5	B (Metal)	N	4 x 4	Black/Yellow	Wood	Yellow Signal Sign	Good	Dec 22, 2010 #026			
140.970	47		4 x 4	B (Metal)	N	8 x 5	White/Green	Metal	EXIT 141- 16 inch	Good	Dec 22, 2010 #026			

US 97/MURPHY RD: BROOKSWOOD - PARRELL _ DESIGN ACCEPTANCE PACKAGE (DAP)

ODOT ROADSIDE INVENTORY

Section:	US 97
----------	-------

F. SIGNS NOTES: #1 H=Hinge; B=Breakaway; O=Other (Identify) #4 Material: Wood, Metal, etc.
 #2 Direction = Read Towards N, E, S, W #5 Condition: New, Good, Fair, Poor
 #3 Color = Letters/Background #6 Photo Taken? No, Yes, (number)

Location MP or Sta.	Distance (nearest post) off Fog Line		Post		Sign (Width x Height)				Legend			Action Needed to Meet Standards	Recommended Action	Final Action
	Lt.	Rt.	Size Inches	Type #1 H, B, O	Dir #2	Size Ft.	Color #3 L/B	Matl #4	Message & Letter Size	#5	#6			
141.000		52	5.5 x 5.5	B (Wood)	S	2.5 x 1.5	Black/White	Metal	South- 15 inch	Good	Dec 22, 2010 #001			
					S	2.5 x 2.5	Black/White	Metal	97- Shield	Good				
141.000		48	2 x 3	O (Metal)	S	1 x 4	Green/White	Metal	MP 141	Good	Dec 22, 2010 #001			
141.000	60		2 x 3.5	O (Metal)	N	1 x 4	Green/White	Metal	MP 141	Good	Dec 22, 2010 #024			
141.700	54		5.5 x 5.5	B (Wood)	N	4 x 4	Black/Yellow	Wood	Yellow Signal Sign	Good	Dec 22, 2010 #021			
					N	2 x 1	Black/Yellow	Wood	1/4 MILE - 5.5 inch	Good				
141.800	67		5.5 x 8	H (Metal)	N	14 x 10.5	White/Green	Metal	BUSINESS EAST- 8 inch, 97/ 20, Third St.	Good	Dec 22, 2010 #019			
141.900		63	2.5 x 2.5	B (Metal)	S	4 x 1.5	White/Green	Wood	ROMAINE VILLAGE WY- 8 inch	Good	Dec 22, 2010 #007			
					E	3 x 3	White/Red	Wood	STOP- 12 inch	Good	Dec 22, 2010 #008			
141.950	56		4 x 6	O (Wood)	N	5.5 x 2.5	White/Blue	Wood	USE BUSINESS 97, BEND FACTORY	Good	Dec 22, 2010 #018			

US 97/MURPHY RD: BROOKSWOOD - PARRELL _ DESIGN ACCEPTANCE PACKAGE (DAP)

ODOT ROADSIDE INVENTORY

Section:	US 97										
----------	-------	--	--	--	--	--	--	--	--	--	--

F. SIGNS NOTES: #1 H=Hinge; B=Breakaway; O=Other (Identify) #4 Material: Wood, Metal, etc.
 #2 Direction = Read Towards N, E, S, W #5 Condition: New, Good, Fair, Poor
 #3 Color = Letters/Background #6 Photo Taken? No, Yes, (number)

Location MP or Sta.	Distance (nearest post) off Fog Line		Post		Sign (Width x Height)				Legend			Action Needed to Meet Standards	Recommended Action	Final Action
	Lt.	Rt.	Size Inches	Type #1 H, B, O	Dir #2	Size Ft.	Color #3 L/B	Matl #4	Message & Letter Size	#5	#6			
141.990	54		6 x 6	H (Metal)	N	10 x 7	White/Blue	Metal	FOOD- LODGING, GAS- CAMPING,	Good	Dec 22, 2010 #017			
142.000		54	2 x 3	O (Metal)	S	1 x 4	White/Green	Metal	MP 142 - 10 inch	Good	Dec 22, 2010 #014			
142.000		46	4 x 6	O (Wood)	S	2 x 2	White/Green	Wood	ADOPT- A HIGHWAY	Good	Dec 22, 2010 #014			
					S	2 x 2	White/Green	Wood	MARK & ANN GERSON, 4 inch	Good				
142.000	46		2 x 3	O (Metal)	N	1 x 4	White/Green	Metal	MP 142 - 10 inch	Good	Dec 22, 2010 #017			

US 97/MURPHY RD: BROOKSWOOD - PARRELL _ DESIGN ACCEPTANCE PACKAGE (DAP)

ODOT ROADSIDE INVENTORY

Section:	US 97				
----------	-------	--	--	--	--

I. UTILITIES (including Railroads)							
MP to MP	Type of Obstacle	Distance		Length	Action Needed to Meet Standards	Recommended Action	Final Action
		LT	RT				
140.43 - 140.85	POWER POLES (HIGH VOLTAGE)	884' - 361'					
140.53 - 140.86	POWER POLES	659' - 216'					

US 97/MURPHY RD: BROOKSWOOD - PARRELL _ DESIGN ACCEPTANCE PACKAGE (DAP)

ODOT ROADSIDE INVENTORY

Section:	US 97
----------	-------

J. PEDESTRIAN & BICYCLE FACILITIES

MP to MP	Bike or Ped?	Distance		Location			Width	Ramps	Action Needed to Meet Standards	Recommended Action	Final Action
		Lt	Rt	On Shld	Behind Curb	Free Align					
140.3 - 140.52	Both	45	45		X		6'	Y			
140.52 - 141.87	Both		40		X		6.5'	Y			
140.52 - 140.95	Bike	33					6'				
141.87 - 142.00	Bike		27	X			7'				
140.95 - 142.00	Bike	36		X			7'				

ODOT ROADSIDE INVENTORY

Section: *US 97*

K. ROADSIDE OBSTACLES (Ditch, Fences, Outcroppings, etc.)

MP to MP	Type of Obstacle	Distance		Slope Rate		Action Needed to Meet Standards	Recommended Action	Final Action
		Lt	Rt	Cut	Fill			
140.43 - 140.94	OPPOSING TRAFFIC	10'	10'					
140.520	SIGNAL POLE	49'						
140.88	PED CROSSING SIGNAL		46'					
140.89	SIGNAL POLE		45'					
140.91	SIGNAL POLE		42'					