


Survey Monuments



Selected Survey Monuments in or near the City of Bend Urban Growth Boundary.

Information regarding these monuments was obtained from the Deschutes County Surveyor's Office. The selected monuments were chosen because they are located in either local parks or in the public right-of-way and are posted for reference purposes only. Questions regarding these sites (or others) should be addressed to the Deschutes County Surveyor's Office.





Table of Contents

1. Cover Sheet
2. Table of Contents / Instructions
3. Overall City Map
4. thru 8. Small area City maps
9. thru 14. Mark Information Pages

Instructions

The first step in using the system is to consult the overall City map on the following page and determine which of the small area maps you live in or is closest to the area you would like to use. Next, turn to the appropriate small area map and determine which mark is closest to your selected area and note the bench mark number listed on the map. With this number, you can then find a more detailed description and the elevation of the bench mark you are looking for in the pages immediately following.


The County Surveyor's Office would appreciate being notified as you come across either destroyed bench marks, errors in the published elevations, or errors in the long description, so replacement bench marks can be set or edits made.



- Monument Sites
- City Limits
- Parks
- UGB
- State Hwys
- UAR




DISCLAIMER:
 Information regarding these monument sites was obtained from the Deschutes County Surveyor's Office. Questions regarding these sites (or others) should be addressed to the Surveyor's Office.



- Monument Sites
- City Limits
- Parks
- UGB
- State Hwys
- UAR




DISCLAIMER:
 Information regarding these monument sites was obtained from the Deschutes County Surveyor's Office. Questions regarding these sites (or others) should be addressed to the Surveyor's Office.



- Monument Sites
- Parks
- State Hwys
- City Limits
- UGB
- UAR



DISCLAIMER:
 Information regarding these monument sites was obtained from the Deschutes County Surveyor's Office. Questions regarding these sites (or others) should be addressed to the Surveyor's Office.



- Monument Sites
- Parks
- State Hwys
- City Limits
- UGB
- UAR



DISCLAIMER:
 Information regarding these monument sites was obtained from the Deschutes County Surveyor's Office. Questions regarding these sites (or others) should be addressed to the Surveyor's Office.

Selected Survey Monuments Within City of Bend

Mark Name	Latitude	Longitude	Orthometric Height
17112540	44 04 23.445304	121 21 48.332706	3736.33
<p><i>ABOUT MARK: The mark is a 3 1/4" aluminum cap on a iron rod at ground level in a N-S fence line about 600 feet easterly of Shevlin Park Road at milepost 1.5. (See Reference Survey in County Surveyor Office for more information)</i></p>			
17112640	44 04 23.774277	121 23 01.327652	3710.53
<p><i>ABOUT MARK: The mark is a 3" brass cap on a iron pipe at ground level, about 200 feet up hill and westerly of milepost 0.75 on south park road in Shevlin Park. (See Reference Survey in County Surveyor Office for more information)</i></p>			
17120904	44 06 33.120168	121 17 37.184347	3457.46
<p><i>ABOUT MARK: The mark is a 3 1/4" aluminum cap on a 5/8" iron rod in a monument box 9 feet west of railroad and about 25 feet south of south edge of Cooley Road. (See Reference Survey in County Surveyor Office for more information)</i></p>			
17121540	44 06 06.998769	121 17 01.550836	3476.64
<p><i>ABOUT MARK: The mark is a 3 1/4" aluminum cap on a 2" iron pipe 0.4 feet above ground at a E-W & N fence intersection and about 0.15 miles east of Boyd Acres Road. (See Reference Survey in County Surveyor Office for more information)</i></p>			
17121900	44 04 49.607155	121 20 36.088373	3896.01
<p><i>ABOUT MARK: The mark is a 3 1/4" brass cap on a iron pipe 0.1 feet above ground and northeasterly of Fitzgerald Court. (See Reference Survey in County Surveyor Office for more information)</i></p>			
17121904	44 04 49.254450	121 20 02.350092	4119.80
<p><i>ABOUT MARK: The mark is a 2 1/2" brass cap 0.4 feet below ground level 110 feet south of Farewell Drive, east of Three Sisters Drive and west of Meldrum Court. (See Reference Survey in County Surveyor Office for more information)</i></p>			
17122200	44 04 48.548620	121 17 01.275820	3527.81
<p><i>ABOUT MARK: The mark is a 3 1/4" aluminum cap on a 5/8" iron rod at ground level, south of a dirt road, 4 feet west of a power pole and 1 foot south, about 500 feet west of Butler Mkt. Road. (See Reference Survey in County Surveyor Office for more information)</i></p>			

Mark Name	Latitude	Longitude	Orthometric Height
-----------	----------	-----------	--------------------

17122300	44 04 48.873259	121 15 49.556878	3519.85
<p>ABOUT MARK: <i>The mark is a 3 1/4" aluminum cap in concrete in the center of NE 27th Street. (See Reference Survey in County Surveyor Office for more information)</i></p>			

17122600	44 03 56.754748	121 15 49.498693	3582.61
<p>ABOUT MARK: <i>The mark is a 5/8" iron rod at the intersection of NE 27th Street and Neff Road. (See Reference Survey in County Surveyor Office for more information)</i></p>			

17122640	44 04 22.775083	121 15 49.518736	3546.88
<p>ABOUT MARK: <i>The mark is a 3 1/4" aluminum cap in concrete in the center on NE 27th Street. (See Reference Survey in County Surveyor Office for more information)</i></p>			

17122704	44 03 56.611844	121 16 25.535991	3582.34
<p>ABOUT MARK: <i>The mark is a 2" brass cap in a monument box about 16 feet east of the intersection of Neff Road and Percell Blvd. (See Reference Survey in County Surveyor Office for more information)</i></p>			

17122740	44 04 22.437633	121 17 01.423791	3556.39
<p>ABOUT MARK: <i>The mark is a 3 1/4" aluminum cap in concrete at the intersection of Watson Drive and Shepard Road. (See Reference Survey in County Surveyor Office for more information)</i></p>			

17122800	44 03 57.294227	121 18 14.428042	3607.36
<p>ABOUT MARK: <i>The mark is a 3 1/4" brass cap in a monument box 10 feet north of the south curb of Penn Ave. and 9 feet west of the west curb of NE 2nd Street. (See Reference Survey in County Surveyor Office for more information)</i></p>			

17122840	44 04 23.342473	121 18 14.095951	3586.62
<p>ABOUT MARK: <i>The mark is a 3 1/4" brass cap in a monument box 12 feet west of the east curb of NE 2nd Street and 120 feet south of NE Xerxes Ave. (See Reference Survey in County Surveyor Office for more information)</i></p>			

Mark Name	Latitude	Longitude	Orthometric Height
17122900	44 03 57.258947	121 19 25.933789	3691.13
ABOUT MARK: <i>The mark is a 2 1/2" brass cap at ground level 30 feet east of the end dirt part of Saginaw Ave. (See Reference Survey in County Surveyor Office for more information)</i>			
17122904	44 03 57.303420	121 18 49.969472	3593.90
ABOUT MARK: <i>The mark is a P.K. nail 0.2 feet west of the manhole at the intersection of Saginaw Ave. and NW 1st Street. (See Reference Survey in County Surveyor Office for more information)</i>			
17123004	44 03 57.273039	121 20 02.139168	3776.54
ABOUT MARK: <i>The mark is a 3 1/4" brass cap 0.2 feet below ground, 4 feet north of north curb on Saginaw Ave. and 160 feet east of Juniper Ave. (See Reference Survey in County Surveyor Office for more information)</i>			
17123140	44 03 31.497192	121 20 36.227810	3674.13
ABOUT MARK: <i>The mark is a 3 1/4" brass cap 0.2 feet below ground in a N-S fence line north of Skyliners Drive. (See Reference Survey in County Surveyor Office for more information)</i>			
17123204	44 03 05.133138	121 18 49.902317	3624.05
ABOUT MARK: <i>The mark is a 2" aluminum cap at ground level 5 feet north of the north rail of the south railroad track. (See Reference Survey in County Surveyor Office for more information)</i>			
17123340	44 03 31.350952	121 18 14.078954	3622.96
ABOUT MARK: <i>The mark is a spike in the center of NE 2nd Street and 65 feet South of NE Irving. (See Reference Survey in County Surveyor Office for more information)</i>			
17123400	44 03 04.823275	121 17 01.465510	3657.45
ABOUT MARK: <i>The mark is a 3" brass cap on the south side of Pilot Butte. (See Reference Survey in County Surveyor Office for more information)</i>			

Mark Name	Latitude	Longitude	Orthometric Height
17123404	44 03 04.844655	121 16 25.208153	3666.00
ABOUT MARK: <i>The mark is a 2" brass cap in a monument box in the center of Bear Creek Road. (See Reference Survey in County Surveyor Office for more information)</i>			
17123500	44 03 04.956448	121 15 48.929718	3653.26
ABOUT MARK: <i>The mark is a 3" brass cap in a monument box 10 feet west of the center of SE 27th Street and 3 feet south of the center of Bear Creek Road. (See Reference Survey in County Surveyor Office for more information)</i>			
17123540	44 03 30.751084	121 15 49.523986	3611.17
ABOUT MARK: <i>The mark is a 3 1/4" aluminum cap in concrete, 4 feet east of the center of NE 27th Street and 2 feet north of a E-W power line. (See Reference Survey in County Surveyor Office for more information)</i>			
18120340	44 02 39.029110	121 17 01.598487	3703.41
ABOUT MARK: <i>The mark is a 3 1/4" aluminum cap at the intersection of SE 15th Street and Wilson Ave. (See Reference Survey in County Surveyor Office for more information)</i>			
18121000	44 01 20.859699	121 17 02.840025	3718.16
ABOUT MARK: <i>The mark is a 2" brass cap on a iron pipe in concrete 1.5 feet below ground level, on the east side of SE 15th Street, 3 feet south and 4 feet east of the south end of a guard rail south of a irrigation canal. (See Reference Survey in County Surveyor Office for more information)</i>			
B011	44 01 16.638100	121 18 58.907837	3784.99
ABOUT MARK: <i>The mark is a 3" brass cap in the sidewalk at the southwest corner of Hwy. 97 and Pinebrook Blvd. (See Reference Survey in County Surveyor Office for more information)</i>			
CB01	44 06 32.652797	121 17 02.568844	3462.71
ABOUT MARK: <i>The mark is a PK nail & flasher in the center of Cooley Road south of house no. 20790. (See Reference Survey in County Surveyor Office for more information)</i>			

Mark Name	Latitude	Longitude	Orthometric Height
-----------	----------	-----------	--------------------

CB07	44 05 15.147780	121 15 49.842993	3479.12
<p>ABOUT MARK: The mark is a 1/2" iron rod with City of Bend plastic cap 0.4 foot above ground, about 150 feet south of the North Unit Canal, 21 feet north and 15 feet west of mark 17122340. (See Reference Survey in County Surveyor Office for more information)</p>			

CB27	44 04 47.789330	121 20 06.310774	4125.01
<p>ABOUT MARK: The mark is a 3" aluminum cap in the top of northwesterly curb of Three Sisters Drive by house # 2957 and about 200 feet south of Farewell Drive. (See Reference Survey in County Surveyor Office for more information)</p>			

CB37	44 00 28.979326	121 15 49.321535	3737.40
<p>ABOUT MARK: The mark is a 1 1/2" aluminum cap on a aluminum rod at ground level, 15 feet north of north edge of Knott Road and near the center of the west PGT gas line. (See Reference Survey in County Surveyor Office for more information)</p>			

GIS 001	44 03 04.549162	121 17 01.952450	3658.40
<p>ABOUT MARK: The mark is a 3 1/4" aluminum cap in the top of the west curb of SE 15th Street, 17 feet north of a power pole and near the curb return to Bear Creek Road. (See Reference Survey in County Surveyor Office for more information)</p>			

GIS 005	44 03 05.906408	121 15 48.292458	3651.72
<p>ABOUT MARK: The mark is a 3 1/2" aluminum cap in concrete in a 5" iron pipe in a mass of concrete 1 foot above ground, about 95 feet north of the center of Bear Creek Road & 30 feet east of the center of SE 27th Street. (See Reference Survey in County Surveyor Office for more information)</p>			

GIS 007	44 03 57.047310	121 15 49.885040	3582.69
<p>ABOUT MARK: The mark is a 3 1/2" aluminum cap in the top of a concrete curb return in the northwest intersection of Neff Road and NE 27th Street. (See Reference Survey in County Surveyor Office for more information)</p>			

GIS 008	44 03 56.400950	121 16 30.199590	3608.16
<p>ABOUT MARK: The mark is a 3 1/2" aluminum cap in the top of a concrete curb on the south side of Neff Road, about 300 feet west of Percell Blvd. (See Reference Survey in County Surveyor Office for more information)</p>			

Mark Name	Latitude	Longitude	Orthometric Height
GIS 010	44 03 56.469580	121 16 53.087650	3683.56
<p>ABOUT MARK: <i>The mark is a 3 1/2" aluminum cap in concrete in the center of a paved walkway on a rock outcrop south of Neff Road, about 250 feet east of Eastwood Drive. (See Reference Survey in County Surveyor Office for more information)</i></p>			

GIS 011	44 03 56.606541	121 17 01.526807	3675.11
<p>ABOUT MARK: <i>The mark is a 3 1/2" aluminum cap in top of a concrete curb on the north side of Neff Road and north of mark 17122700. (See Reference Survey in County Surveyor Office for more information)</i></p>			

GIS 013	44 02 39.713240	121 19 25.050791	3659.92
<p>ABOUT MARK: <i>The mark is a 3 1/2" aluminum cap in a mass of concrete 0.3 feet above ground, 2 feet southeast of bike path, about 450 feet easterly of the intersection of Colorado Ave. and Columbia Street. (See Reference Survey in County Surveyor Office for more information)</i></p>			

PILOT BUTTE (GIS 031)	44 03 37.943010	121 16 59.648110	4138.33
<p>ABOUT MARK: <i>The mark is a 3" brass cap in a post of concrete in the center of viewing area at the top of Pilot Butte. (See Reference Survey in County Surveyor Office for more information)</i></p>			